



Food and Beverage
Solutions Provider

CENTRIFUGAL JUICER #50



Internationally
patented models




For a high quality juice

The juice extractor #50 makes any kind of fruit and vegetable juices: apple, carrot, ginger, beetroot, cucumber...

It offers an excellent yield and keeps the vitamins and nutritional benefits from the ingredients.

Very quiet and easy to use, it is the ideal appliance for bars, restaurants, hotels, health food stores...


up to
140l/h



Premium filtration
Auto-clean basket
Réf. 50205

1 Pusher: low effort, constant low

2 Extra large feeding chute
Ø 79.5mm

3 Perfect filtration:
patented auto-clean basket ensures efficient pulp ejection and improved juice yield

4 Deflector : Improves juice flow for optimal extraction performance

5 Locking system: Patented Ezy-lock™ technology

6 Exclusive Ezy-clean™ system: removable bowl, basket, cover (no tool needed)

7 Spout height: 210 mm (8,3") suitable for preparing juices in glasses, jars and blender jugs

8 Pulp container: 10l (2.6 gallons) container with Ezy-fit™ system

9 Powerful and quiet
asynchronous motor

10 Removable drip tray



Since 1954

70 years of worldwide expertise in juice extraction, delivering innovative, reliable, and efficient juicers.

1991 — 2001 — 2013 — 2025 —>



#28
The First Heavy duty
juice extractor



#50
"The Revolution"
First XL Chute
worldwide



#68
"The Miracle"
combining high
performance
and Ezy-clean™
technology



#50
"The Exclusive Edition" 70 years
of innovation in
one compact juice
extractor



Patented Technologies



Enables simultaneous locking of the bowl and cover.



Removable bowl, basket and cover (without any tool).



indexed pulp container for intuitive and secure positioning.

Santos expertise

XL feeding chute: accepts whole fruits and vegetables, no pre-cutting needed.

High and wide basket: better filtration.

Exceptional output: up to 140l/h.

Powerful and durable asynchronous motor.

Silence: 65 dBA, can be used in front of customers.

Safety: power cut off and motor brake stop the basket immediately when the handle is opened.

Safety, standards, hygiene

In accordance with the following regulations	Machinery directive 2006 / 42 / EC
	Electromagnetic compatibility 2014 / 30 / EU
	“Low voltage” directive 2014 / 35 / EU
	RoHS directive 2011 / 65 / EU
	Regulation 1935 / 2004 / EC (contact with food)
Harmonized European Standards	Regulation 10 / 2011 / EU (Plastic in contact with food)
	EN ISO 12100 : 2010
	EN 60204-1 : 2018
	EN 60335-2-64 :2004 Commercial electric kitchen machines
	EN 12547:2014 Juice extractors
Thermal safety	CE Marking, UL (USA) and cUL (Canada), NSF (USA)
	Motor protected by internal thermal detector and overload protector
Electrical safety	On/Off switch detects overloading and no voltage
	All mechanical parts are ground connected
	Appliances are 100% tested after assembly
Acoustic safety	Silent asynchronous motor
Mecanical safety	A friction brake immediately stops the basket when opening the handle.
Hygiene	All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

Technical specifications

Motor

Single phase:


220-240 V - 50 / 60 Hz - 800W CE

100 - 120 V - 50 / 60 Hz - 800W CE, UL, NSF

Speed:

3 000 rpm (50Hz)

3 600 rpm (60Hz)




Appareil

W: 290 mm (11")

D: 530 mm (21")

H: 515 mm (20")



Emballé

W: 324 mm (13")

D: 484 mm (19")

H: 580 mm (23")

Net Weight:

15,1 Kg (33lbs)

Packed weight:

16,3 Kg (36lbs)


PRODUCT: 2-YEAR WARRANTY
MOTOR: 5-YEAR

SANTOS Centrifugal Juicer #50




From date : 01/2026

from serial number : 1326057

50885-230V 50885B-115V



50505-230V 50505B-115V



SANTOS

140-150 avenue Roger Salengro
69120 Vaulx-en-Velin (Lyon) FRANCE

Tel : +33 472 37 35 29
Email : santos@santos.fr
www.santos.fr

Follow us on [#santosaddict](https://www.instagram.com/santosaddict)
social networks

