



SECCOTM



Gas open burner

- Round cast iron burner, each 25,000 BTU/hr
- 12"x12" (30×30cm) cast iron grate for easy removal
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
GHP-2	50,000	305 x 745 x 380 12 x 29 x 15 inch	440 x 890 x 460 17 x 35 x 18 inch	38 kg 84 lbs	46 kg 101 lbs
GHP-4	100,000	610 x 745 x 380 24 x 29 x 15 inch	890 x 890 x 460 35 x 35 x 18 inch	57 kg 125 lbs	73 kg 161 lbs
GHP-6	150,000	915 x 745 x 380 36 x 29 x 15 inch	1050 x 890 x 460 41 x 35 x 18 inch	86 kg 189 lbs	104 kg 229 lbs



Gas burners & griddle with oven

- Fully MIG welded frame for stability
- Stainless steel front, back-riser
- 6" stainless steel adjustable heavy duty legs
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates, 12"x12" (30x30cm) in size, easy to be removed
- Pull out crumb tray with rounded edges to prevent heat transfer
- 31,000 BTU/hr. U-shape burner for bottom oven
- Full size sheet pans fit side-to-side or front-to-back.
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
RGR36-G12	171.000	914 x 826 x 1532 mm 36 x 32.5 x 60.3 inch	1040 x 1010 x 1320 mm 40.9 x 39.8 x 52 inch	108 kg 238 lbs	208 kg 458 lbs

- Two open top burners, each 30,000 BTU/hr
- With 20000BTU/hr burners (2 pcs) for griddle
- 24" griddle plate, ¾" thickness, U shape burner

RGR36-G24	131.000	914 x 826 x 1532 mm 36 x 32.5 x 60 inch	1040 x 1010 x 1320 mm 40 x 39.8 x 52 inch	183 kg 403 lbs	230 kg 506 lbs
------------------	---------	--	--	-------------------	-------------------

- Four open top burners, each 30,000 BTU/hr
- With 20000 BTU/hr burner (1 pc) for griddle
- 12" griddle plate, ¾" thickness

Gas burners with oven



- Fully MIG welded frame for stability
- Stainless steel front, back-riser, galvanized sides
- 6" stainless steel adjustable heavy duty legs
- Six open top burners, each 30,000 BTU/hr
- Coved pilot burner cover to prevent clogging from spillage
- Stainless steel pilot for durability
- Heavy duty cast grates, 12"x12" (30x30cm) in size, easy to be removed
- Pull out crumb tray with rounded edges to prevent heat transfer
- 31,000 BTU/hr. U-shape burner for bottom oven
- Full size sheet pans fit side-to-side or front-to-back.
- Oven thermostat adjusts from 250°F to 550°F
- Two oven racks and four rack positions
- Optional with castors

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
RGR24	151,000	609 x 830 x 1520 mm 24 x 32.7 x 60 inch	720 x 1010 x 1320 mm 28.3 x 39.8 x 15.6 inch	132 kg 290 lbs	162 kg 411 lbs
RGR36	211,000	915 x 829 x 1520 mm 36 x 32.6 x 60 inch	1040 x 1010 x 1320 mm 41 x 39.8 x 52 inch	167 kg 367 lbs	207 kg 455 lbs



Gas griddle

- Steel U-shape burner, each 30,000 BTU/hr for better heat distribution
- One control every 12"
- Standby pilot for easy start
- ¾" thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Thermostat control

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
GG-12T	30,000	310 x 761 x 412 mm 12.2 x 30 x 16.2 inch	440 x 890 x 520 mm 17.3 x 35 x 20.5 inch	45 kg 99 lbs	52 kg 114 lbs
GG-24T	60,000	610 x 761 x 412 mm 24 x 30 x 16.2 inch	890 x 890 x 520 mm 35 x 35 x 20.5 inch	80 kg 176 lbs	103 kg 227 lbs
GG-36T	90,000	915 x 761 x 412 mm 36 x 30 x 16.2 inch	1070 x 890 x 520 mm 42 1 x 35 x 20.5 inch	110 kg 242 lbs	143 kg 315 lbs
GG-48T	120,000	1220 x 761 x 412 mm 48 x 30 x 16.2 inch	1340 x 890 x 520 mm 52.8 x 35 x 20.5 inch	152 kg 334 lbs	178 kg 411 lbs
GG-60T	150,000	1525 x761x 412 mm 60 x 30 x 16.2 inch	1640 x 890 x 520 mm 64.6 x 35 x 20.5 inch	180 kg 396 lbs	220 kg 484 lbs



Gas charbroiler

- Cast iron bar burner, each 20,000 BTU/hr
- One control every 6"
- Standby pilot for easy start
- Cast iron radiant cover to hold heat and spread heat more evenly
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
GCB-14	40,000	356 x 745 x 400 mm 14 x 29 3 x 15.7 inch	480 x 890 x 520 mm 19 x 35 x 20.5 inch	50 kg 110 lbs	65 kg 143 lbs
GCB-24	80,000	605 x 745 x 400 mm 23.8 x 29.3 x 15.7 inch	890 x 890 x 520 mm 35 x 35 x 20.5 inch	85 kg 187 lbs	112 kg 246 lbs
GCB-36	120,000	910 x 745 x 400 mm 35.8 x 29.3 x 15.7 inch	1070 x 890 x 520 mm 42.1 x 35 x 20.5 inch	130 kg 286 lbs	158 kg 248 lbs
GCB-48	160,000	1220 x 745 x 400 mm 48 x 29 3 x 15.7 inch	1340 x 890 x 520 mm 52.8 x 35 x 20.5 inch	167 kg 367 lbs	197 kg 433 lbs
GCB-60	200,000	1525 x 745 x 400 mm 60 x 29.3 x 15.7 inch	1640 x 890 x 520 mm 64.6 x 35 x 20.5 inch	210 kg 462 lbs	247 kg 543 lbs

Gas salamander



- Gas infrared burner for better and even heat distribution
- Extra large infrared burner to cover large cooking area
- Instant heating up, no need to pre-heat
- Standby pilot for easy start
- Three rack positions
- Chrome coating wiring grid
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- Manual control

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
RCM-24	20,000	610 x 475 x 580 mm 24 x 18.7 x 22.8 inch	770 x 640 x 770 mm 30.3 x 25.2 x 30.3 inch	46 kg 101 lbs	66 kg 145 lbs
RCM-36	30,000	914 x 475 x 580 mm 36 x 18.7 x 22.8 inch	1080 x 640 x 770 mm 42.5 x 25.2 x 30.3 inch	63 kg 139 lbs	89 kg 196 lbs
RCM-48	40,000	1219 x 475 x 580 mm 48 x 18.7 x 22.8 inch	1380 x 640 x 770 mm 54.3 x 25.2 x 30.3 inch	84 kg 185 lbs	114 kg 251 lbs
RCM-60	50,000	1524 x 475 x 580 mm 60 x 18.7 x 22.8 inch	1680 x 640 x 770 mm 66.1 x 25.2 x 30.3 inch	101 kg 222 lbs	133 kg 295 lbs
RCM-72	60,000	1829 x 475 x 580 mm 72 x 18.7 x 22.8 inch	1990 x 640 x 770 mm 73.3 x 25.2 x 30.3 inch	117 kg 257 lbs	161 kg 354 lbs



Gas deep fryer

- Vertical cast iron burner, each 30,000 BTU/hr
- Stainless steel vat, available in 4 models
- 6" stainless steel adjustable heavy duty legs
- Tube design with baffles inside for better heat transfer
- Continuous pilot for easy start of main flame
- Chromed basket with plastic coating handle
- Large cold zone to prevent scorching of food particles at the bottom
- Robertshaw control system to guarantee best performance
- Prompt temperature recovery to make sure fries are crispy
- 1 ¼" drain cock for easy drainage of oil
- Thermostat adjusts from 93°C/200°F to 204°C/400°F
- 450°F/232°C hi-limiter guarantees safety
- Optional with castors

Model	Total input (btu/hr)	Product (WxDxH)	Packing (WxDxH)	NW	GW
GF120-N	120,000	394 × 767 × 1182 mm 15.5x 30.2 x 46.5 inch	460 × 830 × 860 mm 18.1 x 32.7 × 33 9 inch	71 kg 156 lbs	82 kg 180 lbs



Electric deep fryer

- 18KW powerful heaters with 28 liters oil capacity each
- PCB control with programming
- Preset melting function at 82 C
- Robust structure with drain valve
- Temperature range is 50-190 C
- Precise timing setting
- 230 C high limit ensures safe operation
- Stainless steel tank with oil level indicator
- Stainless steel night cover with bakelite handle, cool to touch
- Wire mesh net to collect fried food crumbs and protect the heater
- Heater lift mechanism makes cleaning easy and convenient
- Power and heat indicators
- Nickel coating basket
- Heavy duty steel base
- Bottom cold zone to prevent food from scorching

Model	Capacity	Power	Product (WxDxH)	NW
DF-28LD	28 L	18 kW / 380V	400 x 800 x 1100 mm 16 x 32 x 43 inch	56 kg 123 lbs
DF-28LD-2	2x28 L	2 x 18 kW / 380V	800 x 800 x 1100 mm 32 x 425 x 43 inch	101 kg 222 lbs



Stainless steel 2 tiers working table

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)	Packing (WxDxH)
18-00039-300	300 x 760 x 850 mm	320 x 780 x 150 mm
18-00039-610	610 x 760 x 850 mm	630 x 780 x 150 mm
18-00039-920	920 x 760 x 850 mm	940 x 780 x 150 mm
18-00039-1220	1220 x 760 x 850 mm	1240 x 780 x 150 mm
18-00039-1530	1530 x 760 x 850 mm	1550 x 780 x 150 mm
18-00039-1830	1830 x 760 x 850 mm	1850 x 780 x 150 mm



Stainless steel 3 tiers working table

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)	Packing (WxDxH)
18-00040-610	610 x 760 x 850 mm	630 x 780 x 170 mm
18-00040-920	920 x 760 x 850 mm	920 x 780 x 170 mm
18-00040-1220	1220 x 760 x 850 mm	1240 x 780 x 170 mm
18-00040-1530	1530 x 760 x 850 mm	1550 x 780 x 170 mm
18-00040-1830	1830 x 760 x 850 mm	1850 x 780 x 170 mm



Single sink table

- Material: ss 201
- Thickness: 1.0mm

Model

Product (WxDxH)

18-00035

600 x 600 x 850 + 150 mm

18-00046

600 x 760 x 850 + 150 mm



Single sink table - left sink bowl

- Material: ss 201
- Thickness: 1.0mm

Model

Product (WxDxH)

18-00036

1200 x 600 x 850 + 150 mm

18-00047

1200 x 760 x 850 + 150 mm



Single sink table - right sink bowl

- Material: ss 201
- Thickness: 1.0mm

Model

Product (WxDxH)

18-00037

1200 x 600 x 850 + 150 mm

18-00048

1200 x 760 x 850 + 150 mm



Double sink table

- Material: ss 201
- Thickness: 1.0mm

Model

Product (WxDxH)

18-00038

1200 x 600 x 850 + 150 mm

18-00049

1200 x 760 x 850 + 150 mm



Model

Product (WxDxH)

18-00071-LT

1500 x 760 x 850 + 150 mm

Double sink table - left sink bowl

- Material: ss 201
- Thickness: 1.0mm



Model

Product (WxDxH)

18-00071-RT

1500 x 760 x 850 + 150 mm

Double sink table - right sink bowl

- Material: ss 201
- Thickness: 1.0mm



Stainless steel grease trap

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)
18-00074-400	400 x 300 x 300 mm
18-00074-500	500 x 300 x 300 mm



Stainless steel 4 tiers storage shelf

- Material: ss 201
- Thickness: 1.0mm


Model	Product (WxDxH)
18-00070-1200	1200 x 500 x 1550 mm
18-00070-1500	1500 x 500 x 1550 mm
18-00070-1800	1800 x 500 x 1550 mm



Wall shelf

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)
18-00073-900	900 x 300 x 240 mm
18-00073-1200	1200 x 300 x 240 mm
18-00073-1500	1500 x 300 x 240 mm
18-00073-1800	1800 x 300 x 240 mm



Inverted wall shelf

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)
18-00072-900	900 x 300 x 240 mm
18-00072-1200	1200 x 300 x 240 mm
18-00072-1500	1500 x 300 x 240 mm
18-00072-1800	1800 x 300 x 240 mm



Stainless steel 2 tier overshef for working table

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)
18-00076-1220	1220 x 380 x 1000 mm
18-00076-1530	1530 x 380 x 1000 mm
18-00076-1830	1830 x 380 x 1000 mm



Stainless steel 2 tier overshef for counter

- Material: ss 201
- Thickness: 1.0mm

Model	Product (WxDxH)
18-00077-1200	1200 x 380 x 1000 mm
18-00077-1500	1500 x 380 x 1000 mm
18-00077-1800	1800 x 380 x 1000 mm



16 tiers single stainless steel GN PAN trolley

- Material: ss 201
- Thickness: 1.0mm

Model

18-00041

Product (WxDxH)

380 x 550 x 1735 mm



16 tiers single stainless steel BAKERY trolley

- Material: ss 201
- Thickness: 1.0mm

Model

18-00041-6040

Product (WxDxH)

465 x 620 x 1735 mm

Countertop display chiller

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glasses
- Ventilated cooling system
- Automatic defrost
- Glass fog preventing system
- Separated power button



SECCO NO.XC-58L



SECCO NO.XC-68L

Model	XC-58L	XC-68L
Capacity	58L/2.05cu.ft	68L/2.40cu.ft
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	200W	200W
Refrigerant	R134a/600a	R134a/600a
Net weight	30kg	33kg
Product size	447 x 400 x 819mm	447 x 400 x 894mm

Display warmer

- Beautiful shark fin design
- Internal top LED light
- Mechanical thermostat and digital temperature display
- Two layers adjustable chrome plated shelves
- Tempered glass
- Smoothly back sliding glass doors
- Stainless steel outside
- Water tank



SECCO NO.XCR-95L/125L/165L/205L

Model	XCR-95L	XCR-125L	XCR-165L	XCR-205L
Capacity	95L/3.4Cu.ft	125L/4.4Cu.ft	165L/5.8Cu.ft	205L/7.2Cu.ft
Temp. range	30-90°C / 86-194°F	30-90°C / 86-194°F	30-90°C / 86-194°F	30-90°C / 86-194°F
Input power	800W	800W	1100W	1500W
Net weight	22.5kg	28kg	34.1kg	41.7kg
Product size	500 x 510 x 635mm	697 x 510 x 635mm	875 x 510 x 635mm	1100 x 510 x 635mm

Display warmer

- Easy cleaning design
- Full glass display of four sides
- Stainless steel base
- Mechanical thermostat



SECCO NO.XCR-25L



SECCO NO.XCR-45L



SECCO NO.XCR-35L



SECCO NO.XCR-50L

Model	XCR-25L	XCR-35L	XCR-45L	XCR-50L
Capacity	25L/0.9Cu.ft	35L/1.2Cu.ft	45L/1.5Cu.ft	50L/1.8Cu.ft
Temp. range	30-90°C / 86-194°F	30-90°C / 86-194°F	30-90°C / 86-194°F	30-90°C / 86-194°F
Input power	800W	800W	800W	800W
Net weight	12.5kg	11.5kg	14.5kg	13.5kg
Product size	555 x 380 x 303mm	555 x 361 x 303mm	555 x 380 x 368mm	555 x 361 x 368mm

Display warmer

- Two strip LED light
- Digital temperature display
- Tempered glass
- Stainless steel structure
- Separated power button, separated light button
- Top light box for advertising



SECCO NO.XCR-97L

Model	XCR-97L
Capacity	97L/3.4Cu.ft
Temp. range	30-90°C / 86-194°F
Input power	800W
Net weight	24.5kg
Product size	460 x 436 x 785mm

Countertop salad prep w/s.s cover

- Full stainless steel body
- Solid lid
- Power button
- Digital controller
- Static cooling system



SECCO NO.XCS-1500C



SECCO NO.XCS-1000C

Model	XCS-1000C	XCS-1500C
Capacity	4*1/4GN	7*1/4GN
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	148.2W	148.2W
Refrigerant	R290	R290
Net weight	18kg	27.5kg
Product size	1000 x 335 x 280mm	1500 x 335 x 280mm

Countertop salad prep w/sneeze guard

- Full stainless steel body
- Glass lid
- Power button
- Digital controller
- Static cooling system

SECCO NO.XCS-1000L



SECCO NO.XCS-1500L

Model	XCS-1000L	XCS-1500L
Capacity	4*1/4GN	7*1/4GN
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	148.2W	148.2W
Refrigerant	R290	R290
Net weight	29kg	38.5kg
Product size	1000 x 335 x 420mm	1500 x 335 x 420mm

Sushi showcase

- Internal top LED light
- Digital thermostat and Temperature display
- Curved front glass
- Direct cooling system with double evaporator
- Automatic defrost
- Available in black and white color



SECCO NO.XCS-42L



SECCO NO.XCS-62L

Model	XCS-42L	XCS-62L
Capacity	42L/1.5Cu.ft	62L/2.2Cu.ft
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	230W	230W
Refrigerant	R600a	R600a
Net weight	33kg	39kg
Product size	1148 x 406 x 316mm	1500 x 406 x 316mm

Countertop display chiller

- 2 Internal strip LED lights
- Digital thermostat and display
- Adjustable PVC coated shelves
- Front curved double layers tempered glass
- Back sliding glass doors
- Ventilated cooling system
- Automatic defrost
- Designed for countertop
- Separated power button



SECCO NO.XCW-100L

Model	XCW-100L
Capacity	100L/3.5cu.ft
Temp. range	2-10°C/35.6-50°F
Input power	220W
Refrigerant	R134a/600a
Net weight	35kg
Product size	682 x 450 x 675mm

Countertop cube shape display chiller

- Magic cube shape design
- Internal top LED light
- Digital thermostat and display
- 2 layers Adjustable Chromed shelves
- Flat double layers glasses
- Back sliding glass doors
- Ventilated cooling system
- Automatic defrost
- Designed for countertop
- Separated power button

SECCO NO.
XCW-160F



SECCO NO.
XCW-120F



Model	XCW-120F	XCW-160F
Capacity	135L/4.8cu.ft	172/6.1cu.ft
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	240W	240W
Refrigerant	R134a/600a	R134a/600a
Net weight	57kg	66kg
Product size	710 x 568 x 686mm	888 x 568 x 686mm

Countertop curved shape display chiller

- Glass fog preventing system
- Internal top LED light
- Digital thermostat and display
- Adjustable Chromed shelves
- Front curved tempered glass, double layers
- Back sliding glass door
- Ventilated cooling system
- Automatic defrost
- Designed for countertop
- Separated power button

SECCO NO.
XCW-160LS



SECCO NO.
XCW-120LS



Model	XCW-120LS	XCW-160LS
Capacity	120L/4.2cu.ft	160L/5.7cu.ft
Temp. range	2-10°C/35.6-50°F	2-10°C/35.6-50°F
Input power	240W	240W
Refrigerant	R134a/600a	R134a/600a
Net weight	57kg	66kg
Product size	710 x 568 x 686mm	888 x 568 x 686mm

Countertop curved ambient showcase

- Tempered glass
- Stainless steel base



SECCO NO.XCZ-25L



SECCO NO.XCZ-45L
(DOUBLE LAYER)



SECCO NO.XCZ-70L
(DOUBLE LAYER)

Model	XCZ-25L	XCZ-45L	XCZ-70L
Capacity	25L/0.9Cu.ft	45L/1.5Cu.ft	70L/2.5Cu.ft
Net weight	10.1kg	12kg	13.3kg
Product size	555 x 380 x 303mm	555 x 380 x 368mm	596 x 360 x 517mm

Countertop cube ambient showcase

- Tempered glass
- Stainless steel base



SECCO NO.XCZ-35L



SECCO NO.XCZ-50L
(DOUBLE LAYER)



SECCO NO.XCZ-60L
(TRIPLE LAYER)

Model	XCZ-35L	XCZ-50L	XCZ-60L
Capacity	35L/1.2Cu.ft	50L/1.8Cu.ft	60L/2.1Cu.ft
Net weight	9.2kg	10.9kg	16.7kg
Product size	555 x 361 x 303mm	555 x 361 x 368mm	406 x 350 x 618mm

Countertop cube ambient showcase

- Tempered glass
- Black aluminium material



SECCO NO.XCZ-31L
(SINGLE LAYER)



SECCO NO.XCZ-41L
(DOUBLE LAYER)



SECCO NO.XCZ-51L
(SINGLE LAYER)



SECCO NO.XCZ-71L
(DOUBLE LAYER)

Model	XCZ-31L	XCZ-41L	XCZ-51L	XCZ-71L
Capacity	31L/1.0Cu.ft	41L/1.4Cu.ft	51L/1.8Cu.ft	71L/2.5Cu.ft
Net weight	8.1kg	11.7kg	12.3kg	17.7kg
Product size	555 x 330 x 215mm	555 x 330 x 315mm	920 x 330 x 215mm	920 x 330 x 315mm



Single tank electric Deep fryer - 6L

SECCO-SC-EF6L#

A compact and efficient solution for light-duty frying tasks. Built with a durable stainless-steel body, this unit is perfect for concession stands, food trucks, delis, and small commercial kitchens. It includes a removable fry tank, adjustable thermostat, and a night cover for easy cleaning and safety when not in use.

- Dimensions: 310 x 410 x 285mm
- Capacity: 6L
- Temperature: 60 - 200°C
- Volts: 220 - 240V
- Power: 2.5kW
- N.W.: 5.5kg



Single tank electric Deep fryer - 11L

SECCO-SC-EF11L#

A compact and efficient solution for light-duty frying tasks. Built with a durable stainless-steel body, this unit is perfect for concession stands, food trucks, delis, and small commercial kitchens. It includes a removable fry tank, adjustable thermostat, and a night cover for easy cleaning and safety when not in use.

- Dimensions: 320 x 440 x 340mm
- Capacity: 11L
- Temperature: 60 - 200°C
- Volts: 220 - 240V
- Power: 3.5kW
- N.W.: 7kg



Electric panini single contact grills, ribbed top and bottom

SECCO-SC-PG811EA#

A commercial-grade countertop press featuring a full stainless-steel body and grooved cast-iron plates. Provides consistent heat for perfectly grilled sandwiches with professional-looking grill marks. Its compact size and adjustable temperature control make it practical and versatile, while NSF certification guarantees it meets sanitation standards for commercial kitchens.

- Dimensions: 410 x 305 x 210mm
- Power: 2.2 kW
- Volts: 220 - 240V / 50Hz - 60Hz
- Temperature: 300°C
- Upper Grill Size: 338 x 220mm

- Lower Grill Size: 340 x 230mm
- Heating Elements: 2
- N.W.: 19kg
- G.W.: 21kg



Electric panini single contact grills, ribbed top and bottom

SECCO-SC-PG813A#

A commercial-grade countertop press featuring a full stainless-steel body and grooved cast-iron plates. Provides consistent heat for perfectly grilled sandwiches with professional-looking grill marks. Its compact size and adjustable temperature control make it practical and versatile, while NSF certification guarantees it meets sanitation standards for commercial kitchens.

- Dimensions: 570 x 305 x 210mm
- Power: 3.6kW
- Volts: 220 - 240V / 50Hz
- Temperature: 300°C
- Upper Grill Size: 214 x 214mm

- Lower Grill Size: 475 x 230mm
- Heating Elements: 4
- N.W.: 28kg
- G.W.: 30kg



- Dimensions: 570 x 305 x 210mm
- Power: 3.6kW
- Volts: 220 - 240V / 50Hz
- Temperature: 300°C
- Upper Grill Size: 214 x 214mm

Electric panini double contact grills, ribbed top only

SENCO-SC-PG813C#

Commercial-grade panini grill featuring a versatile half-ribbed, half-flat cast iron cooking surface. Designed with a stainless-steel body and a durable hinged top plate, it ensures even cooking and high heat retention. Suitable for cafes, restaurants, and hotel kitchens, it offers a reliable and compact solution for professional food preparation.

- Lower Grill Size: 475 x 230mm
- Heating Elements: 4
- N.W.: 28 kg
- G.W.: 30 kg



Electric chrome plate griddle

SENCO-SC-EG818#

A professional-grade countertop electric griddle with a hard-chrome cooking surface and stainless-steel body. Built for high-volume cooking, it provides quick, even heat across a variety of foods.

- Dimensions: 550 x 450 x 230mm
- Power: 3kW
- Volts: 220 - 240V
- N.W.: 23kg
- G.W.: 31kg



Electric chrome plate griddle

SECCO-SC-EG820#

A heavy-duty, commercial countertop electric griddle characterised by its robust stainless-steel body and durable flat cooking surface. Designed for professional kitchens, snack bars, and hotels, this model provides fast, even heat distribution, maintains a consistent temperature, and is easy to clean. Its minimalist design ensures simple operation and reliable performance even in busy conditions.

- Dimensions: 730 x 500 x 230mm
- Power: 4.4kW
- Volts: 220 - 240V / 380V
- N.W.: 34kg
- G.W.: 44kg



Electric chrome plate griddle, ribbed

SECCO-SC-EG822#

A high-output, countertop griddle designed for commercial use. It features a stainless-steel housing and a unique cooking surface that's half flat and half grooved, making it perfect for grilling burgers, steaks, paninis, and more. Built to handle busy kitchens, it combines durability, efficiency, and ease of cleaning.

- Dimensions: 730 x 500 x 230mm
- Power: 4.4kW
- Volts: 220 - 240V / 380V
- N.W.: 32kg
- G.W.: 44kg



Electric waffle maker, LED

SENCO-SC-WB-03D#

Commercial-grade appliance crafted for cafés, breakfast bars, and buffet stations. It has cast iron plates coated with ceramic non-stick material, producing five heart-shaped waffles per batch. The stainless steel body guarantees durability, and the insulated base improves user safety and convenience safety.

- Dimensions: 255 x 440 x 320mm
- Power: 1.3kW
- Volts: 220 - 240V
- N.W.: 8.5kg
- G.W.: 10kg



Electric salamander grill

SENCO-SC-ES936#

A compact and efficient countertop electric grill designed for quick finishing, browning, melting, and toasting. Ideal for cafes, restaurants, and catering services, it provides consistent heat distribution and space-saving performance for professional kitchens.

- Dimensions: 620 x 320 x 280mm
- Power: 2kW
- Volts: 220 - 240V
- Chamber Size: 460 x 260 x 190mm
- N.W.: 17kg
- G.W.: 19kg



Electric salamander grill

SENCO-SC-ES937#

A high-powered electric salamander grill perfect for commercial kitchens. It provides quick and even overhead heat—ideal for toasting, melting, finishing, or browning food before serving. With a compact footprint and stainless-steel body, it is built for durability and ease of use in busy foodservice environments.

- Dimensions: 810 x 450 x 470mm
- Power: 4kW
- Volts: 220 - 240V
- Chamber Size: 630 x 420 x 370mm
- N.W.: 28kg
- G.W.: 30kg



Electric lifting salamander grill

SENCO-SC-ES600#

A professional-grade infrared salamander grill designed for grilling, finishing, or keeping dishes warm while maintaining crispness. It features a stainless steel frame and a smooth, height-adjustable lifting system for precise control over cooking intensity. Suitable for kitchens in restaurants, hotels, and catering setups.

- Dimensions: 600 x 520 x 500mm
- Power: 4kW
- Volts: 220 - 240V
- N.W.: 49kg
- G.W.: 52kg



Electric GN 1/1 salamander grill toaster

SENCO-SC-QT11#

Commercial-grade electric salamander grill designed for grilling meats, melting cheese, and toasting bread or sandwiches. Featuring a hanging-style adjustable upper heating chamber, it provides precise control over cooking distance, making it suitable for kitchens that require flexibility. Built with durable stainless steel, it offers reliable performance in busy foodservice environments.

- Dimensions: 690 × 380 × 300mm
- Power: 3.5kW
- Volts: 220 - 240V
- N.W.: 28kg
- G.W.: 30kg



Electric fries warmer

SENCO-SC-310#

- Dimensions: 330 × 560 × 500mm
- Power: 0.94kW
- Volts: 220 - 240V
- N.W.: 6.5kg
- G.W.: 7kg


180006387L

180006368L

1800029

87L stepped waste bin

Model

Product (WxDxH)

180006387L

440 x 405 x 820 mm

68L stepped waste bin

Model

Product (WxDxH)

180006368L

430 x 405 x 670 mm

55L plastic pedal bin

Model

Product (WxDxH)

1800029

395 x 397 x 625 mm


1800017

1800016

1800064

20L mop bucket with roller

Model

Product (WxDxH)

1800017

490 x 280 x 690 mm

24L mop bucket with roller

Model

Product (WxDxH)

1800016

Bucket	280 x 440 x 275 mm
Bucket + Wringer	280 x 440 x 700 mm

A shape caution sign (Cleaning in progress)

Model

Product (WxDxH)

1800064

360 x 270 x 410 mm



○ **Petaling Jaya**

Retail Showroom

Lot 21, Jalan 51A/223,
Seksyen 51A, 46100
Petaling Jaya, Selangor.

☎ 016-840 3654

○ **Johor Bahru**

Retail Showroom

4, Jalan Mutiara 3,
Taman Perindustrian Plentong,
81750 Masai, Johor Bahru.

☎ 016-246 3654

○ **Ampang**

Retail Showroom

Lot 4868-G, Off Jalan
Mengkudu, 55000
Kuala Lumpur.

☎ 016-853 3654